

All Panels

DMP Models	Program In	XR550 Device, Zone, or Output Number	XR150 Device, Zone, or Output Number	XT50 Device, Zone, or Output Number	XT30 Device, Zone, or Output Number	XTL Device, Zone, or Output Number	Device Type	Device Comm Type	Zone Type	Wireless SN Range
630F Fire Keypad	Device Setup	1-16	1-8	not compatible	not compatible	not compatible	FI	n/a	n/a	n/a
714N-POE Zone Expander Module	Device Setup	1-16	1-8	not compatible	not compatible	not compatible	EXP & NET	NET	n/a	n/a
734 Access Control Module	Device Setup	1-16	1-8	1-8	1-8	not compatible	DOOR	KPD or AX-BUS	n/a	n/a
734B BIN Access Control Module	Device Setup	1-16	1-8	not compatible	not compatible	not compatible	DOOR	KPD or AX-BUS	n/a	n/a
734N/734N-POE Network Access Control Module	Device Setup	1-16	1-8	1-8	1-8	not compatible	DOOR	KPD or NET	n/a	n/a
736V V-Plex Module	Device Setup	501, 601, 701, 801, 901	501	not compatible	not compatible	not compatible	VPX	n/a	n/a	n/a
7000 Series Thinline Keypads	Device Setup	1-16	1-8	1-8	1-8	not compatible	KPD or DOOR	KPD	n/a	n/a
7300 Series Icon Keypads	Device Setup	1-16	1-8	1-8	1-8	not compatible	KPD	KPD	n/a	n/a
7463 Network Thinline Keypads	Device Setup	1-16	1-8	1-8	1-8	1-8	KPD	NET	n/a	n/a
7800 Series Graphic Touchscreen Keypad	Device Setup	1-16	1-8	1-8	1-8	not compatible	KPD or DOOR	KPD	n/a	n/a
1100R Repeater	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	1-99	AUX1	n/a	AUX1	13000000-13999999
1100T Wireless Translator	Device Setup	2-16	2-8	2-8	2-8	2-8	1100T	n/a	n/a	13000000-13999999
1100T Wireless Translator	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	Non-DMP SN
1101 Universal Transmitter	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	01000000-01999999
1102 Universal Transmitter, external contact	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	01000000-01999999
1103 Universal Transmitter	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	01000000-01999999
1106 Universal Transmitter, internal/external contact	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	01000000-01999999
1107 Micro Window Transmitter	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	NT	02000000-02999999
1108 Doorbell Module	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	DB	02000000-02999999
1114 Four-Zone Expander Module	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	08000000-08999999
1115 Temperature Sensor and Flood Detector	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	SV	08000000-08999999
1116 Relay Output	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1117 LED Annunciator	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1118 Remote Indicator Light	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1119 Door Sounder	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	NT or DY	02000000-02999999
1119 Door Sounder (Output)	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1122 PIR	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	NT	09500000-09999999
1126R Ceiling Mount PIR	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	NT	09100000-09499999
1127 Wall Mount Curtain PIR	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	NT	09100000-09499999
1128 Glassbreak	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	NT	03000000-03999999
1131 Recessed Contact	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	02000000-02999999
1134 Access Control Module	Device Setup	1-16	1-8	1-8	1-8	1-8	DOOR	n/a	WLS	14300000-14499999
1135 Siren	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15200000-15999999
1136 Remote Chime	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15200000-15999999
1137 LED Emergency Light	Output Information	450-474 (slow); 480-499 (fast)	450-474 (slow); 480-499 (fast)	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15200000-15999999
1139 Bill Trap	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	PN	02000000-02999999
1141 Wall Button	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	04000000-04999999
1142 Two-button Hold-Up	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	PN	04000000-04999999
1144 Key Fob	Key Fobs	400-449	400-449	31-34 (slow); 41-44 (fast)	31-34 (slow); 41-44 (fast)	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	05900000-05999999
1148 Personal Pendant	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	EM	04000000-04999999
1154 Four-Zone Input Module	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	08000000-08999999
1158 Eight-Zone Input Module	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	Any	08000000-08999999
1164 Smoke Detector with Sounder	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	FI	07000000-07999999
1166 Smoke Ring	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	FI	06000000-06999999
1168 CO/Smoke/Low Temp Combo Detector	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	FI + CO + SV	07000000-07999999
1183 Heat Detector	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	FI	06000000-06999999
1184 Carbon Monoxide Detector	Zone Information	500-999	500-599	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80, 81-84; 85-99	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	1-99	n/a	n/a	CO	06000000-06999999
9000 Series Thinline Keypad	Device Setup	1-16	1-8	1-8	1-8	1-8	KPD or DOOR	WLS	n/a	14000000-14299999
9800 Graphic Touchscreen Keypad	Device Setup	1-16	1-8	1-8	1-8	1-8	KPD or DOOR	WLS	n/a	14500000-14999999

**XR550**

DMP Models	Program In	XR550 Device, Zone, or Output Number	Device Type	Device Comm Type	Zone Type	Wireless SN Range
630F Fire Keypad	Device Setup	1-16	FI	n/a	n/a	n/a
714N-POE Zone Expander Module	Device Setup	1-16	EXP & NET	NET	n/a	n/a
734 Access Control Module	Device Setup	1-16	DOOR	KPD or AX-BUS	n/a	n/a
734B BIN Access Control Module	Device Setup	1-16	DOOR	KPD or AX-BUS	n/a	n/a
734N/734N-POE Network Access Control Module	Device Setup	1-16	DOOR	KPD or NET	n/a	n/a
736V V-Plex Module	Device Setup	501, 601, 701, 801, 901	VPX		n/a	n/a
7000 Series Thinline Keypads	Device Setup	1-16	KPD or DOOR	KPD	n/a	n/a
7300 Series Icon Keypads	Device Setup	1-16	KPD	KPD	n/a	n/a
7463 Network Thinline Keypads	Device Setup	1-16	KPD	NET	n/a	n/a
7800 Series Graphic Touchscreen Keypad	Device Setup	1-16	KPD or DOOR	KPD	n/a	n/a
1100R Repeater	Zone Information	500-999	AUX1	n/a	AUX1	13000000-13999999
1100T Wireless Translator	Device Setup	2-16	1100T	n/a	n/a	13000000-13999999
1100T Wireless Translator	Zone Information	500-999	n/a	n/a	Any	Non-DMP SN
1101 Universal Transmitter	Zone Information	500-999	n/a	n/a	Any	01000000-01999999
1102 Universal Transmitter, external contact	Zone Information	500-999	n/a	n/a	Any	01000000-01999999
1103 Universal Transmitter	Zone Information	500-999	n/a	n/a	Any	01000000-01999999
1106 Universal Transmitter, internal/external contact	Zone Information	500-999	n/a	n/a	Any	01000000-01999999
1107 Micro Window Transmitter	Zone Information	500-999	n/a	n/a	NT	02000000-02999999
1108 Doorbell Module	Zone Information	500-999	n/a	n/a	DB	02000000-02999999
1114 Four-Zone Expander Module	Zone Information	500-999	n/a	n/a	Any	08000000-08999999
1115 Temperature Sensor and Flood Detector	Zone Information	500-999	n/a	n/a	SV	08000000-08999999
1116 Relay Output	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1117 LED Annunciator	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1118 Remote Indicator Light	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1119 Door Sounder	Zone Information	500-999	n/a	n/a	NT or DY	02000000-02999999
1119 Door Sounder (Output)	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1122 PIR	Zone Information	500-999	n/a	n/a	NT	09500000-09999999
1126R Ceiling Mount PIR	Zone Information	500-999	n/a	n/a	NT	09100000-09499999
1127 Wall Mount Curtain PIR	Zone Information	500-999	n/a	n/a	NT	09100000-09499999
1128 Glassbreak	Zone Information	500-999	n/a	n/a	NT	03000000-03999999
1131 Recessed Contact	Zone Information	500-999	n/a	n/a	Any	02000000-02999999
1134 Access Control Module	Device Setup	1-16	DOOR	n/a	WLS	14300000-14499999
1135 Siren	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15200000-15999999
1136 Remote Chime	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15200000-15999999
1137 LED Emergency Light	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15200000-15999999
1139 Bill Trap	Zone Information	500-999	n/a	n/a	PN	02000000-02999999
1141 Wall Button	Zone Information	500-999	n/a	n/a	Any	04000000-04999999
1142 Two-button Hold-Up	Zone Information	500-999	n/a	n/a	PN	04000000-04999999
1144 Key Fob	Key Fobs	400-449	n/a	n/a	n/a	05900000-59999999
1148 Personal Pendant	Zone Information	500-999	n/a	n/a	EM	04000000-04999999
1154 Four-Zone Input Module	Zone Information	500-999	n/a	n/a	Any	08000000-08999999
1158 Eight-Zone Input Module	Zone Information	500-999	n/a	n/a	Any	08000000-08999999
1164 Smoke Detector with Sounder	Zone Information	500-999	n/a	n/a	FI	07000000-07999999
1166 Smoke Ring	Zone Information	500-999	n/a	n/a	FI	06000000-06999999
1168 CO/Smoke/Low Temp Combo Detector	Zone Information	500-999	n/a	n/a	FI + CO + SV	07000000-07999999
1183 Heat Detector	Zone Information	500-999	n/a	n/a	FI	06000000-06999999
1184 Carbon Monoxide Detector	Zone Information	500-999	n/a	n/a	CO	06000000-06999999
9000 Series Thinline Keypad	Device Setup	1-16	KPD or DOOR	WLS	n/a	14000000-14299999
9800 Graphic Touchscreen Keypad	Device Setup	1-16	KPD or DOOR	WLS	n/a	14500000-14999999



## XR150

DMP Models	Program In	XR150 Device, Zone, or Output Number	Device Type	Device Comm Type	Zone Type	Wireless SN Range
630F Fire Keypad	Device Setup	1-8	FI	n/a	n/a	n/a
714N-POE Zone Expander Module	Device Setup	1-8	EXP & NET	NET	n/a	n/a
734 Access Control Module	Device Setup	1-8	DOOR	KPD or AX-BUS	n/a	n/a
734B BIN Access Control Module	Device Setup	1-8	DOOR	KPD or AX-BUS	n/a	n/a
734N/734N-POE Network Access Control Module	Device Setup	1-8	DOOR	KPD or NET	n/a	n/a
736V V-Plex Module	Device Setup	501	VPX		n/a	n/a
7000 Series Thinline Keypads	Device Setup	1-8	KPD or DOOR	KPD	n/a	n/a
7300 Series Icon Keypads	Device Setup	1-8	KPD	KPD	n/a	n/a
7463 Network Thinline Keypads	Device Setup	1-8	KPD	NET	n/a	n/a
7800 Series Graphic Touchscreen Keypad	Device Setup	1-8	KPD or DOOR	KPD	n/a	n/a
1100R Repeater	Zone Information	500-599	AUX1	n/a	AUX1	13000000-13999999
1100T Wireless Translator	Device Setup	2-8	1100T	n/a	n/a	13000000-13999999
1100T Wireless Translator	Zone Information	500-599	n/a	n/a	Any	Non-DMP SN
1101 Universal Transmitter	Zone Information	500-599	n/a	n/a	Any	01000000-01999999
1102 Universal Transmitter, external contact	Zone Information	500-599	n/a	n/a	Any	01000000-01999999
1103 Universal Transmitter	Zone Information	500-599	n/a	n/a	Any	01000000-01999999
1106 Universal Transmitter, internal/external contact	Zone Information	500-599	n/a	n/a	Any	01000000-01999999
1107 Micro Window Transmitter	Zone Information	500-599	n/a	n/a	NT	02000000-02999999
1108 Doorbell Module	Zone Information	500-599	n/a	n/a	DB	02000000-02999999
1114 Four-Zone Expander Module	Zone Information	500-599	n/a	n/a	Any	08000000-08999999
1115 Temperature Sensor and Flood Detector	Zone Information	500-599	n/a	n/a	SV	08000000-08999999
1116 Relay Output	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1117 LED Annunciator	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1118 Remote Indicator Light	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1119 Door Sounder	Zone Information	500-599	n/a	n/a	NT or DY	02000000-02999999
1119 Door Sounder (Output)	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15100000-15199999
1122 PIR	Zone Information	500-599	n/a	n/a	NT	09500000-09999999
1126R Ceiling Mount PIR	Zone Information	500-599	n/a	n/a	NT	09100000-09499999
1127 Wall Mount Curtain PIR	Zone Information	500-599	n/a	n/a	NT	09100000-09499999
1128 Glassbreak	Zone Information	500-599	n/a	n/a	NT	03000000-03999999
1131 Recessed Contact	Zone Information	500-599	n/a	n/a	Any	02000000-02999999
1134 Access Control Module	Device Setup	1-8	DOOR	n/a	WLS	14300000-14499999
1135 Siren	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15200000-15999999
1136 Remote Chime	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15200000-15999999
1137 LED Emergency Light	Output Information	450-474 (slow); 480-499 (fast)	n/a	n/a	n/a	15200000-15999999
1139 Bill Trap	Zone Information	500-599	n/a	n/a	PN	02000000-02999999
1141 Wall Button	Zone Information	500-599	n/a	n/a	Any	04000000-04999999
1142 Two-button Hold-Up	Zone Information	500-599	n/a	n/a	PN	04000000-04999999
1144 Key Fob	Key Fobs	400-449	n/a	n/a	n/a	05900000-59999999
1148 Personal Pendant	Zone Information	500-599	n/a	n/a	EM	04000000-04999999
1154 Four-Zone Input Module	Zone Information	500-599	n/a	n/a	Any	08000000-08999999
1158 Eight-Zone Input Module	Zone Information	500-599	n/a	n/a	Any	08000000-08999999
1164 Smoke Detector with Sounder	Zone Information	500-599	n/a	n/a	FI	07000000-07999999
1166 Smoke Ring	Zone Information	500-599	n/a	n/a	FI	06000000-06999999
1168 CO/Smoke/Low Temp Combo Detector	Zone Information	500-599	n/a	n/a	FI + CO + SV	07000000-07999999
1183 Heat Detector	Zone Information	500-599	n/a	n/a	FI	06000000-06999999
1184 Carbon Monoxide Detector	Zone Information	500-599	n/a	n/a	CO	06000000-06999999
9000 Series Thinline Keypad	Device Setup	1-8	KPD or DOOR	WLS	n/a	14000000-14299999
9800 Graphic Touchscreen Keypad	Device Setup	1-8	KPD or DOOR	WLS	n/a	14500000-14999999



XT50

DMP Models	Program In	XT50 Device, Zone, or Output Number	Device Type	Device Comm Type	Zone Type	Wireless SN Range
630F Fire Keypad	Device Setup	not compatible	FI	n/a	n/a	n/a
714N-POE Zone Expander Module	Device Setup	not compatible	EXP & NET	NET	n/a	n/a
<b>734 Access Control Module</b>	Device Setup	1-8	<b>DOOR</b>	<b>KPD or AX-BUS</b>	n/a	n/a
734B BIN Access Control Module	Device Setup	not compatible	DOOR	KPD or AX-BUS	n/a	n/a
<b>734N/734N-POE Network Access Control Module</b>	Device Setup	1-8	<b>DOOR</b>	<b>KPD or NET</b>	n/a	n/a
736V V-Plex Module	Device Setup	not compatible	VPX		n/a	n/a
<b>7000 Series Thinline Keypads</b>	Device Setup	1-8	<b>KPD or DOOR</b>	<b>KPD</b>	n/a	n/a
<b>7300 Series Icon Keypads</b>	Device Setup	1-8	<b>KPD</b>	<b>KPD</b>	n/a	n/a
<b>7463 Network Thinline Keypads</b>	Device Setup	1-8	<b>KPD</b>	<b>NET</b>	n/a	n/a
<b>7800 Series Graphic Touchscreen Keypad</b>	Device Setup	1-8	<b>KPD or DOOR</b>	<b>KPD</b>	n/a	n/a
<b>1100R Repeater</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	<b>AUX1</b>	n/a	<b>AUX1</b>	13000000-13999999
<b>1100T Wireless Translator</b>	Device Setup	2-8	<b>1100T</b>	n/a	n/a	13000000-13999999
<b>1100T Wireless Translator</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	Non-DMP SN
<b>1101 Universal Transmitter</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	01000000-01999999
<b>1102 Universal Transmitter, external contact</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	01000000-01999999
<b>1103 Universal Transmitter</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	01000000-01999999
<b>1106 Universal Transmitter, internal/external contact</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	01000000-01999999
<b>1107 Micro Window Transmitter</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>NT</b>	02000000-02999999
<b>1108 Doorbell Module</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>DB</b>	02000000-02999999
<b>1114 Four-Zone Expander Module</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	08000000-08999999
<b>1115 Temperature Sensor and Flood Detector</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>SV</b>	08000000-08999999
<b>1116 Relay Output</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
<b>1117 LED Annunciator</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
<b>1118 Remote Indicator Light</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
<b>1119 Door Sounder</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>NT or DY</b>	02000000-02999999
<b>1119 Door Sounder (Output)</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
<b>1122 PIR</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>NT</b>	09500000-09999999
<b>1126R Ceiling Mount PIR</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>NT</b>	09100000-09499999
<b>1127 Wall Mount Curtain PIR</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>NT</b>	09100000-09499999
<b>1128 Glassbreak</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>NT</b>	03000000-03999999
<b>1131 Recessed Contact</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	02000000-02999999
<b>1134 Access Control Module</b>	Device Setup	1-8	<b>DOOR</b>	n/a	<b>WLS</b>	14300000-14499999
<b>1135 Siren</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15200000-15999999
<b>1136 Remote Chime</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15200000-15999999
<b>1137 LED Emergency Light</b>	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15200000-15999999
<b>1139 Bill Trap</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>PN</b>	02000000-02999999
<b>1141 Wall Button</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	04000000-04999999
<b>1142 Two-button Hold-Up</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>PN</b>	04000000-04999999
<b>1144 Key Fob</b>	Key Fobs	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	05900000-59999999
<b>1148 Personal Pendant</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>EM</b>	04000000-04999999
<b>1154 Four-Zone Input Module</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	08000000-08999999
<b>1158 Eight-Zone Input Module</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	Any	08000000-08999999
<b>1164 Smoke Detector with Sounder</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>FI</b>	07000000-07999999
<b>1166 Smoke Ring</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>FI</b>	06000000-06999999
<b>1168 CO/Smoke/Low Temp Combo Detector</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>FI + CO + SV</b>	07000000-07999999
<b>1183 Heat Detector</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>FI</b>	06000000-06999999
<b>1184 Carbon Monoxide Detector</b>	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 80; 81-84; 85-99	n/a	n/a	<b>CO</b>	06000000-06999999
<b>9000 Series Thinline Keypad</b>	Device Setup	1-8	<b>KPD or DOOR</b>	<b>WLS</b>	n/a	14000000-14299999
<b>9800 Graphic Touchscreen Keypad</b>	Device Setup	1-8	<b>KPD or DOOR</b>	<b>WLS</b>	n/a	14500000-14999999



XT30

DMP Models	Program In	XT30 Device, Zone, or Output Number	Device Type	Device Comm Type	Zone Type	Wireless SN Range
630F Fire Keypad	Device Setup	not compatible	FI	n/a	n/a	n/a
714N-POE Zone Expander Module	Device Setup	not compatible	EXP & NET	NET	n/a	n/a
734 Access Control Module	Device Setup	1-8	DOOR	KPD or AX-BUS	n/a	n/a
734B BIN Access Control Module	Device Setup	not compatible	DOOR	KPD or AX-BUS	n/a	n/a
734N/734N-POE Network Access Control Module	Device Setup	1-8	DOOR	KPD or NET	n/a	n/a
736V V-Plex Module	Device Setup	not compatible	VPX		n/a	n/a
7000 Series Thinline Keypads	Device Setup	1-8	KPD or DOOR	KPD	n/a	n/a
7300 Series Icon Keypads	Device Setup	1-8	KPD	KPD	n/a	n/a
7463 Network Thinline Keypads	Device Setup	1-8	KPD	NET	n/a	n/a
7800 Series Graphic Touchscreen Keypad	Device Setup	1-8	KPD or DOOR	KPD	n/a	n/a
1100R Repeater	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	AUX1	n/a	AUX1	13000000-13999999
1100T Wireless Translator	Device Setup	2-8	1100T	n/a	n/a	13000000-13999999
1100T Wireless Translator	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	Non-DMP SN
1101 Universal Transmitter	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	01000000-01999999
1102 Universal Transmitter, external contact	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	01000000-01999999
1103 Universal Transmitter	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	01000000-01999999
1106 Universal Transmitter, internal/external contact	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	01000000-01999999
1107 Micro Window Transmitter	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	NT	02000000-02999999
1108 Doorbell Module	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	DB	02000000-02999999
1114 Four-Zone Expander Module	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	08000000-08999999
1115 Temperature Sensor and Flood Detector	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	SV	08000000-08999999
1116 Relay Output	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
1117 LED Annunciator	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
1118 Remote Indicator Light	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
1119 Door Sounder	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	NT or DY	02000000-02999999
1119 Door Sounder (Output)	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15100000-15199999
1122 PIR	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	NT	09500000-09999999
1126R Ceiling Mount PIR	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	NT	09100000-09499999
1127 Wall Mount Curtain PIR	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	NT	09100000-09499999
1128 Glassbreak	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	NT	03000000-03999999
1131 Recessed Contact	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	02000000-02999999
1134 Access Control Module	Device Setup	1-8	DOOR	n/a	WLS	14300000-14499999
1135 Siren	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15200000-15999999
1136 Remote Chime	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15200000-15999999
1137 LED Emergency Light	Output Information	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	15200000-15999999
1139 Bill Trap	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	PN	02000000-02999999
1141 Wall Button	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	04000000-04999999
1142 Two-button Hold-Up	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	PN	04000000-04999999
1144 Key Fob	Key Fobs	31-34 (slow); 41-44 (fast)	n/a	n/a	n/a	05900000-59999999
1148 Personal Pendant	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	EM	04000000-04999999
1154 Four-Zone Input Module	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	08000000-08999999
1158 Eight-Zone Input Module	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	Any	08000000-08999999
1164 Smoke Detector with Sounder	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	FI	07000000-07999999
1166 Smoke Ring	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	FI	06000000-06999999
1168 CO/Smoke/Low Temp Combo Detector	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	FI + CO + SV	07000000-07999999
1183 Heat Detector	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	FI	06000000-06999999
1184 Carbon Monoxide Detector	Zone Information	11-14, 21-24, 31-34, 41-44, 51-54, 61-64, 71-74, 81-84	n/a	n/a	CO	06000000-06999999
9000 Series Thinline Keypad	Device Setup	1-8	KPD or DOOR	WLS	n/a	14000000-14299999
9800 Graphic Touchscreen Keypad	Device Setup	1-8	KPD or DOOR	WLS	n/a	14500000-14999999



XTL

DMP Models	Program In	XTL Device, Zone, or Output Number	Device Type	Device Comm Type	Zone Type	Wireless SN Range
630F Fire Keypad	Device Setup	not compatible	FI	n/a	n/a	n/a
714N-POE Zone Expander Module	Device Setup	not compatible	EXP & NET	NET	n/a	n/a
734 Access Control Module	Device Setup	not compatible	DOOR	KPD or AX-BUS	n/a	n/a
734B BIN Access Control Module	Device Setup	not compatible	DOOR	KPD or AX-BUS	n/a	n/a
734N/734N-POE Network Access Control Module	Device Setup	not compatible	DOOR	KPD or NET	n/a	n/a
736V V-Plex Module	Device Setup	not compatible	VPX		n/a	n/a
7000 Series Thinline Keypads	Device Setup	not compatible	KPD or DOOR	KPD	n/a	n/a
7300 Series Icon Keypads	Device Setup	not compatible	KPD	KPD	n/a	n/a
7463 Network Thinline Keypads	Device Setup	1-8	KPD	NET	n/a	n/a
7800 Series Graphic Touchscreen Keypad	Device Setup	not compatible	KPD or DOOR	KPD	n/a	n/a
1100R Repeater	Zone Information	1-99	AUX1	n/a	AUX1	13000000-13999999
1100T Wireless Translator	Device Setup	2-8	1100T	n/a	n/a	13000000-13999999
1100T Wireless Translator	Zone Information	1-99	n/a	n/a	Any	Non-DMP SN
1101 Universal Transmitter	Zone Information	1-99	n/a	n/a	Any	01000000-01999999
1102 Universal Transmitter, external contact	Zone Information	1-99	n/a	n/a	Any	01000000-01999999
1103 Universal Transmitter	Zone Information	1-99	n/a	n/a	Any	01000000-01999999
1106 Universal Transmitter, internal/external contact	Zone Information	1-99	n/a	n/a	Any	01000000-01999999
1107 Micro Window Transmitter	Zone Information	1-99	n/a	n/a	NT	02000000-02999999
1108 Doorbell Module	Zone Information	1-99	n/a	n/a	DB	02000000-02999999
1114 Four-Zone Expander Module	Zone Information	1-99	n/a	n/a	Any	08000000-08999999
1115 Temperature Sensor and Flood Detector	Zone Information	1-99	n/a	n/a	SV	08000000-08999999
1116 Relay Output	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1117 LED Annunciator	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1118 Remote Indicator Light	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1119 Door Sounder	Zone Information	1-99	n/a	n/a	NT or DY	02000000-02999999
1119 Door Sounder (Output)	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15100000-15199999
1122 PIR	Zone Information	1-99	n/a	n/a	NT	09500000-09999999
1126R Ceiling Mount PIR	Zone Information	1-99	n/a	n/a	NT	09100000-09499999
1127 Wall Mount Curtain PIR	Zone Information	1-99	n/a	n/a	NT	09100000-09499999
1128 Glassbreak	Zone Information	1-99	n/a	n/a	NT	03000000-03999999
1131 Recessed Contact	Zone Information	1-99	n/a	n/a	Any	02000000-02999999
1134 Access Control Module	Device Setup	1-8	DOOR	n/a	WLS	14300000-14499999
1135 Siren	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15200000-15999999
1136 Remote Chime	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15200000-15999999
1137 LED Emergency Light	Output Information	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	15200000-15999999
1139 Bill Trap	Zone Information	1-99	n/a	n/a	PN	02000000-02999999
1141 Wall Button	Zone Information	1-99	n/a	n/a	Any	04000000-04999999
1142 Two-button Hold-Up	Zone Information	1-99	n/a	n/a	PN	04000000-04999999
1144 Key Fob	Key Fobs	51-54 (slow); 61-64 (fast)	n/a	n/a	n/a	05900000-59999999
1148 Personal Pendant	Zone Information	1-99	n/a	n/a	EM	04000000-04999999
1154 Four-Zone input Module	Zone Information	1-99	n/a	n/a	Any	08000000-08999999
1158 Eight-Zone Input Module	Zone Information	1-99	n/a	n/a	Any	08000000-08999999
1164 Smoke Detector with Sounder	Zone Information	1-99	n/a	n/a	FI	07000000-07999999
1166 Smoke Ring	Zone Information	1-99	n/a	n/a	FI	06000000-06999999
1168 CO/Smoke/Low Temp Combo Detector	Zone Information	1-99	n/a	n/a	FI + CO + SV	07000000-07999999
1183 Heat Detector	Zone Information	1-99	n/a	n/a	FI	06000000-06999999
1184 Carbon Monoxide Detector	Zone Information	1-99	n/a	n/a	CO	06000000-06999999
9000 Series Thinline Keypad	Device Setup	1-8	KPD or DOOR	WLS	n/a	14000000-14299999
9800 Graphic Touchscreen Keypad	Device Setup	1-8	KPD or DOOR	WLS	n/a	14500000-14999999

