

UTOU7.S3598 - Control Units and Accessories, Household System Type Certified for Canada

Control Units and Accessories, Household System Type Certified for Canada

[See General Information for Control Units and Accessories, Household System Type Certified for Canada](#)

DIGITAL MONITORING PRODUCTS INC

S3598

2500 N Partnership Blvd
Springfield, MO 65803-8877 USA

Accessories, battery harness, Model(s) 318, 318EXT, 318R, 318T

Accessories, Zone Expanders, Model(s) 711, 714, 714-16, 714-8, 715, 715-16, 715-8

Accessory, digital cellular communicators, for use with burglar alarm control communicator models XR550, XR350, XR150 (may be followed by any of the following -D (dialer), -E (encryption), and/or -N (network)), Model(s) 263C, 263H

Accessory, digital cellular communicators. For use with burglar alarm control communicator models XR100, XR100N, XR500, XR500N, XR500E, Model(s) 463C, 463G

Burglar alarm control communicator, Model(s) XR100 (e), XR100N (e), XR500 (e), XR500E (e), XR500N (e)

Burglar alarm control communicator, Model(s) XR550, XR350, XR150 (may be followed by any of the following -D (dialer), -E (encryption), and/or -N (network)) . (e)

Digital cellular communicator, Model(s) 263LTE, 263LTE-FN

Keypads, 12Vdc, Standby / Alarm Current 100mA + 1.6mA per active zone/100mA + 2mA per active zone, Model(s) 690, 693, 790, 793

Keypads, 12Vdc, Standby / Alarm Current 72mA + 1.6mA per active zone/87mA + 2mA per active zone, Model(s) 7070, 7070A, 7170, 7170A, 7570, 7570A

Keypads, 12Vdc, Standby / Alarm Current 72mA/87mA, Model(s) 7060, 7060A, 7160, 7160A, 7560, 7560A

Keypads, 12Vdc, Standby / Alarm Current 85mA + 1.6mA per active zone/100mA + 2mA per active zone, Model(s) 7073, 7073A, 7173, 7173A, 7573, 7573A

Keypads, 12Vdc, Standby / Alarm Current 85mA/100mA, Model(s) 7061, 7063, 7063A, 7163, 7163A, 7563, 7563A

Keypads, 9.5 - 14Vdc, Standby / Alarm Current 65mA/115mA, Model(s) 7760

Receiver, Model(s) SCS-1R, Input: 120 V, 60 Hz, 900 mA, consisting of the subassemblies, Model SCS-150 processor card, Model SCS-100 line card, Model SCS-101 Network interface, Model SCS-110 modem power supply, Model SCS-120 multibus power supply card, Model SCS-130 transformer card.

Subassemblies: Wiegand interface module, Model(s) 734 (model 734 with enclosure can also be used as an accessory)

Subassembly, trouble sounder, for use with burglar alarm control communicator models XR550, XR350, XR150 (may be followed by any of the following -D (dialer), -E (encryption), and/or -N (network)), Model(s) 277CAN

(e) - Input: 16.5 V ac, 50 VA or 16 V ac, 56 VA or 16 V ac, 75 VA (from a Class 2, limited energy plug-in transformer). To be used with manufacturer's Model SCS-1R receiver.

Last Updated on 2021-01-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"