

8860 7-Inch Touchscreen Keypad



Features

- Sleek, stylish design with intuitive interface
- Update remotely
- Voice annunciation
- ► Bluetooth disarming
- ► Wi-Fi communication
- Up-to-date weather information

- ► Area arming
- Arm/Disarm photos
- View on-site video and sort events
- ► Control Z-Wave devices
- Brand with your dealer logo

7-Inch Touchscreen Keypad

SHIELD DISPLAY

The shield will animate when armed and the interior of the shield will display the type of arming. When disarmed, the shield will stop animating and read Disarmed.

RED KEYPAD

During an alarm state, the keypad screen turns red. The screen remains red until reset by the user.



ATTENTION LIST

If an alarm or communication problem has occurred while armed, the main screen displays a white arrow. When pulled down, the attention list displays the zone and event.

SCREEN CLEANING OPTION

Tap the Clean Keypad Screen icon displayed in the carousel menu's Options. The screen locks for 40 seconds, giving users time to clean the touchscreen and housing.

WEATHER INFORMATION

Up-to-date weather information for today and tomorrow displays on touchscreens installed with network or cellular connected panels.

"FALSE ALARM?" OR CANCEL/VERIFY™

In a Home/Sleep/Away or All/
Perimeter system, you can CANCEL a
burglary alarm or VERIFY that a valid
burglar alarm has occurred. You can
also answer whether it is a false alarm
with YES or NO. Manually verifying
an alarm has occurred sends an alarm
verification message to the
monitoring center.

UNIVERSAL PROGRAMMING TOOL

The 7-Inch Touchscreen Keypad can be used for system programming.

Z-WAVE™ SUPPORT

Control your lights, locks and thermostats all from the carousel menu on the graphic touchscreen keypad.





CUSTOMIZABLE CAROUSEL MENU

Users can choose to see only what is important to them.

- ► Panic
- ▶ Doorbell
- ▶ Video
- ► Z-Wave
- ► Events
- ► Chime
- ► Reset
- Favorites
- ► Easv Exit
- ▶ Options
- Keypad
- ▶ Thermostats
- Doors
- ▶ Lights
- Appliances
- User Codes
- Schedules
- ► Events
- ▶ Bypass

VIDEO DOORBELL

The keypad's built-in microphone allows users to hear and speak to guests or delivery drivers through the V-4061DB Video Doorbell.



AREA ARMING

Whether securing a home or business, this keypad is elegant and intuitive with every function. From one screen, users can quickly see the arming status of all areas and arm and disarm each one individually.



VOICE ANNUNCIATION

Keypads sound better than ever with voice annunciation. Users can enable this feature and adjust its volume for keypads to annunciate when a zone is tripped.





BLUETOOTH DISARM


Convenient disarming can be set up with a Bluetooth connection to a mobile device, streamlining system operation and reducing false alarms.

WI-FI COMMUNICATION

The capability for Wi-Fi panel communication gives you more options and flexibility when designing and installing new systems. This feature brings compatibility to the XTL Series™.

VIEW ON-SITE VIDEO

Users can select any of their connected cameras on-site to view live and recorded clips via the keypad. Available with V-4000, V-5000 and V-6000 cameras.



ARM/DISARM PHOTOS

The 2 MP onboard camera provides an easy way to verify who armed or disarmed the system by capturing snapshots of all arming and disarming events, viewable in Virtual Keypad™.



EVENT SORTING


Users can search and filter events from the keypad to find the exact event they are looking for.

CUSTOM BRANDING

Dealer logo and contact information sync remotely with Dealer Admin™. For a fully custom-designed interface specialized with your branding, ask your regional sales manager for more details.



7-Inch Touchscreen Keypad



ORDERING INFORMATION

Operating Voltage:	12 VDC
Dimensions:	7.67" W x 4.57" H x 0.55" D
Display Type:	Capacitive, Multi-touch Glass
Display Size:	7" (1024 × 600)
Current Draw:	300 mA

COMPATIBILITY

XTL Series, XT Series and XR Series

COLORS AVAILABLE

8860-W: White 8860-B: Black

CERTIFICATIONS

FCC Part 15

For additional information, go to DMP.com/Compliance.