

XT30/XT50

Programming Sheet

NAME _____ ACCOUNT NUMBER _____ DATE _____

ADDRESS _____ CITY _____ STATE _____ ZIP _____

💡 While filling out this programming sheet, keep in mind that factory default values are shown in **bold**.

COMMUNICATION

Account Number _____ (1 to 65,535 default = **12345**)

Transmission Delay _____ (0, 15 to 45 sec., default = **30**)

Communication Type **DD** CID NET CELL WIFI NONE

Backup Dialer **NO** YES

Backup Cell **NO** YES

Test Time _____ : _____ **AM** PM

Net Test Days _____ (0 to 60 days, default = **1**)

Dialer Test Days _____ (0 to 60 days, default = **1**)

Cell Test Days _____ (0 to 60 days, default = **1**)

Check-In Minutes _____ (0, or 15 to 240 min., default = **0**)

Fail Time _____ (0, or 15 to **240** min.)

Send Comm Trouble **NO** **YES**

First GPRS APN _____

Receiver 1 Programming:

Alarm Reports **NO** **YES**

Supv/Trouble **NO** **YES**

O/C & User **NO** **YES**

Test Report **NO** **YES**

First Phone Number _____

Second Phone Number _____

First IP Address _____ . _____ . _____ . _____

First IP Port _____ (default = **2001**)

Second IP Address _____ . _____ . _____ . _____

Second IP Port _____ (default = **2001**)

Receiver 2 Programming:

Receiver 2 Backup? **NO** YES

Alarm Reports **NO** YES

Supv/Trouble **NO** YES

O/C & User **NO** YES

Test Report **NO** YES

First IP Address _____ . _____ . _____ . _____

First IP Port _____ (default = **2001**)

Second IP Address _____ . _____ . _____ . _____

Second IP Port _____ (default = **2001**)

NETWORK OPTIONS

Wi-Fi Setup WPS LIST MANUAL TEST

SSID _____

Wireless Security WEP **WPA** NONE

Wireless Key _____

DHCP **NO** **YES**

Local IP Address _____ . _____ . _____ . _____

Gateway Address _____ . _____ . _____ . _____

Subnet Mask _____ . _____ . _____ . _____

DNS Server _____ . _____ . _____ . _____

Programming Port _____ (default = **2001**)

DEVICE SETUP

Device 1

Device Name _____

Device 2

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

Device 3

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

Device 4

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

Device 5

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

Device 6

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

Device 7

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

Device 8

Device Name _____

Door **NO** YES

Network **NO** YES

1100T **HWL** 2GIG INT DSC Serial # _____

Wireless **NO** YES Serial # _____

Supervision Time 0 60 **240**

REMOTE OPTIONS

Remote Key _____

Manufacturer Authorization **NO** YES

Armed Rings _____ (0 to 15, default = **8**)

Disarmed Rings _____ (0 to 15, default = **8**)

Alarm Receiver **NO** YES

Service Receiver **NO** **YES**

Disarm **NO** **YES**

App Key _____

SYSTEM REPORTS

Opening/Closing Reports **NO** YES

Abort Reports **NO** YES

Zone Restoral Reports **NO** **YES** DISARM

Bypass Reports **NO** **YES**

Code Change Reports **NO** YES

Send Stored Messages **NO** YES

Ambush Reports **NO** YES

Late To Open Minutes _____ (0 to 240 min.)

Early To Close Minutes _____ (0 to 240 min.)

Entry Check-in Protection **NO** **YES**

SYSTEM OPTIONS

System AREA **A/P** H/S/A

Closing Code **NO** YES

Closing Check **NO** YES

Entry Delay 1 _____ (30 to 250 sec.)

Entry Delay 2 _____ (30 to 250 sec., default = **60**)

Exit Delay _____ (45 to 250 sec., default = **60**)

Cross Zone Time _____ (0, 4 to 250 sec.)

Power Fail Delay	—	(0, 1 to 9 hrs.)
Swinger Bypass Trips	—	(0 to 6, default = 2)
Reset Swinger Bypass	NO	YES
Zone Activity Hours	—	(0 to 9 hrs.)
Arm Activity Days	—	(0 to 99 days)
Time Change	NO	YES
Hours from GMT	— —	(0 to 23 hrs., default = 6)
Time Display	NO	YES
House Code	— —	(0 to 50)
Detect Wireless Jamming	NO	YES
Trouble Audibles	ANY	DAY MIN
Built-In 1100 Wireless	NO	YES (XT50 Only)
Wireless Encryption	ALL	BOTH NONE
Enter Passphrase	*****	
Enable Keypad Panic Keys	NO	YES
Occupied Premises	NO	YES
Use False Alarm Question	NO	YES
Weather Zip Code	— — — —	Default = 0
EOL Selection	1K	2.2K
Celsius Temperature Option	NO	YES

BELL OPTIONS

Bell Cutoff Time	— —	(0 to 15 min., default = 5)
Automatic Bell Test	NO	YES
Bell Output	— —	(0 to 4, 31-34, 41-44, F1-F20)

Bell Action . . .

Fire Zones	Steady	Pulse	Temporal	None
Burglary Zones	Steady	Pulse	Temporal	None
Supervisory Zones	Steady	Pulse	Temporal	None
Panic Zones	Steady	Pulse	Temporal	None
Emergency Zones	Steady	Pulse	Temporal	None
Auxiliary 1 Zones	Steady	Pulse	Temporal	None
Auxiliary 2 Zones	Steady	Pulse	Temporal	None
Carbon Monoxide (CO)	Steady	Pulse	Temporal 4	None

OUTPUT OPTIONS

Cutoff Output	1 2 3 4
Cutoff Time	— — (0 to 15 min.)
Comm Fail Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Fire Alarm Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Fire Trouble Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Panic Alarm Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Ambush Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Entry Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Begin Exit Output	— — (0 to 4, 31-34, 41-44, F1-F20)
End Exit Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Ready Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Armed Home Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Armed Sleep Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Armed Away Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Armed All Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Armed Perim Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Armed Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Disarmed Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Burglary Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Arm-Alarm Output	— — (0 to 4, 31-34, 41-44, F1-F20)
Heat Saver Temperature	— — (0 to 4, 31-34, 41-44, F1-F20)
Cool Saver Temperature	— — (0 to 4, 31-34, 41-44, F1-F20)
Carbon Monoxide (CO)	— — (0 to 4, 31-34, 41-44, F1-F20)
Zone Monitor Output	— — (0 to 4, 31-34, 41-44, F1-F20)

OUTPUT SETUP

Output 1	
Output Name	— — — — —
Output 2	
Output Name	— — — — —
Output 3	
Output Name	— — — — —
Output 4	
Output Name	— — — — —

OUTPUT SETUP (WIRELESS)

Output 31	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 32	
Output Name	— — — — —

Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 33	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 34	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 41	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 42	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 43	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 44	
Output Name	— — — — —
Serial #	— — — — —
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Note: Assign Output Numbers 31 to 34 for slow response time wireless outputs (activates within 15 seconds) or 41 to 44 for fast response time wireless outputs (activates within 1 second). Assign an 1135 Wireless Siren to any output number and it operates with a fixed 3 second response.

AREA INFORMATION

Area 1	
Area Name	— — — — —
Auto Arming	NO YES
Bad Zones	BYP FORC REF (When using Schedules)
Auto Disarming	NO YES
Area 2	
Area Name	— — — — —
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES
Area 3	
Area Name	— — — — —
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES
Area 4	
Area Name	— — — — —
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES
Area 5	
Area Name	— — — — —
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES
Area 6	
Area Name	— — — — —
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES

[illegible][illegible]

XT30/XT50 Zone Information										XT30/XT50 Zone Information																																																	
Assign Area and Disarmed condition for NT, DY, EX, A1, and A2 only. Assign Prewarn and Entry Delay for EX only. Assign Style for AR only. Assign 31 to 34 or 41 to 44 to Key Fobs. Wireless output modules can be assigned to 31 to 34 and 41 to 44.	Key Fob	Type	Area	Wireless	Comp. Wireless	Contact	External Contact N/O?	11/4 Contact	Supervision Time	Comp. Supervision Time	LED Operation	Disarm-Disable	PIR Pulse Count	Sensitivity	Pet Immunity	Disarmed Open	Disarmed Short	Armed Open	Armed Short	Prewarn	Chime	Entry Delay	Cross Zone	Priority	Traffic Count	Zone Audit Days	Receiver Routing	Style																															
																													NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT			
																													DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY	DY		
																													EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX	EX		
																													FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI	FI		
																													PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	PN	
																													EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	EM	
																													SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	SV	
																													A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	
																													A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	
FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV	FV																														
AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR																													
CARBON MONOXIDE																														CARBON MONOXIDE																													
INSTANT																														INSTANT																													
DOORBELL																														DOORBELL																													

[illegible]